

|    | Type | Hits    | Search Text   | DBs   |
|----|------|---------|---|---|
| 1  | BRS  | 2894872 | (lamp or light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2  | BRS  | 9024    | (film or lamina or transparency) with (refractors or prisms)                            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3  | BRS  | 9089    | (film or lamina or transparency) with (refractors or prisms)                            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4  | BRS  | 7755    | S1 and S3   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5  | BRS  | 1489    | S4 and scann\$5   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6  | BRS  | 16130   | (lamp or light) near tube   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7  | BRS  | 6       | (lamp or light) with (tube with (variable near thickness))                              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8  | BRS  | 16130   | (lamp or light) near tube   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9  | BRS  | 160     | S8 and (vari\$6 near thick\$6)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS  | 5780    | tube near lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS  | 0       | (tube with veri\$6 with thick\$6) with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS  | 252     | tube with (thinner with cent\$6)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS  | 67      | S12 and (lamp or bulb or light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS  | 10      | ("2896107"   "3363134"   "3498714"   "3832590"   "3885181"   "3932782"   "4065691").PN. | US-PGPUB; USPAT; USOCR                      |
| 15 | BRS  | 14      | ("4503356").URPN.   | USPAT                                       |
| 16 | BRS  | 53      | "313"/\$.ccls. and ((var\$7 near thick\$6) with (tube or envelop\$4))                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS  | 2272    | 313/493,634.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS  | 38      | 313/493,634.ccls. and (var\$7 near thic\$5)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS  | 24      | 313/493,634.ccls. and (thin\$4 with (middle or center))                                 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS  | 6       | 313/493,634.ccls. and (tube with (thin\$4 with (middle or center)))                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | IS&R | 3       | ((("4661800") or ("5223814") or ("5402103")).PN.  | USPAT                                       |
| 22 | IS&R | 0       | ("tubeand(thin\$4withcenter)").PN.  | USPAT                                       |
| 23 | BRS  | 6740    | tube and (thin\$4 with center)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS  | 733     | tube and (thin\$4 with center) and lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits  | Search Text  | DBs   |
|----|------|-------|--|---|
| 25 | BRS  | 63    | tube with (thin\$4 with center) and lamp                                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS  | 3091  | tube near bulb   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS  | 0     | (tube near bulb) with (thinner with center)                                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS  | 1     | (tube near bulb) with (thin with center)                                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS  | 64    | lamp and ((tube or bulb) with (thin with center))                            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS  | 764   | (tube or bulb) with (surface (prisms or structures))                         | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS  | 88    | (tube or bulb) with (surface (prisms or structures)) and lamp                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS  | 921   | (tube with (surface with (prisms or structures))) and lamp                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS  | 11    | (tube with (surface with (refractors))) and lamp                             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS  | 4     | (tube with (surface with (refractors))) same lamp                            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS  | 313   | (tube with (surface with (prisms or structures))) same lamp                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS  | 250   | (tube with (surface with (prisms or structures))) with lamp                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS  | 7     | ((tube near bulb) with (surface with (prisms or structures)))                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS  | 0     | ((tube near bulb) with (surface near (prisms or structures)))                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS  | 12927 | (tube with (surface with (prisms or structures)))                            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS  | 921   | (tube with (surface with (prisms or structures))) and lamp                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS  | 313   | (tube with (surface with (prisms or structures))) same lamp                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS  | 28    | (tube near lamp) with (surface with (prisms or structures))                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS  | 618   | (tube or (tube near bulb)) with (surface near structures)                    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS  | 43    | (tube or (tube near bulb)) with (surface near structures) and lamp           | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS  | 33    | (tube or (tube near bulb)) with (surface near (prisms or grooves )) and lamp | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS  | 4     | ("4363862"   "5319427"   "5420679"   "5471288").PN.                          | US-PGPUB; USPAT; USOCR                      |
| 47 | BRS  | 5     | ("5753348").URPN.  | USPAT                                       |
| 48 | BRS  | 679   | lamp and (convex with reflector)   | USPAT                                       |

|    | Type | Hits  | Search Text  | DBs   |
|----|------|-------|--|---|
| 49 | BRS  | 104   | lamp and (convex with reflector) and scan\$6   | USPAT                                       |
| 50 | BRS  | 204   | lamp and (reflector with prisms) and scan\$6   | USPAT                                       |
| 51 | BRS  | 362   | lamp and ((reflect\$5 near surface) with prisms) and scan\$6                           | USPAT                                       |
| 52 | BRS  | 41    | lamp same ((reflect\$5 near surface) with prisms) and scan\$6                          | USPAT                                       |
| 53 | BRS  | 84507 | scanner or (scan\$6 near (apparatus or device))  | USPAT                                       |
| 54 | BRS  | 19012 | tube near (lamp or light or bulb)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS  | 600   | S53 and S54  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS  | 1     | S53 and S54 and (Tube with var\$7 with thick\$5)                                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | BRS  | 0     | S53 and S54 and ((convex near3 reflect\$5) with (structures or prisms or grooves))     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 58 | BRS  | 2     | S53 and S54 and (convex near3 reflect\$5)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 59 | BRS  | 83    | S53 and S54 and ((film or panel or transpa\$5) with (structures or prisms or grooves)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 60 | BRS  | 84    | S53 and S54 and ((reflect\$5) with (structures or prisms or grooves))                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS  | 1     | ("4891664").PN.  | US-PGPUB; USPAT; USOCR                      |
| 62 | BRS  | 1     | ("4891664").PN.  | US-PGPUB; USPAT; USOCR                      |
| 63 | BRS  | 1     | ("5469303").URPN.  | USPAT                                       |
| 64 | BRS  | 3     | ("3377482"   "5469303").PN.  | US-PGPUB; USPAT; USOCR                      |
| 65 | BRS  | 5     | "5343120"  | US-PGPUB; USPAT; USOCR                      |
| 66 | IS&R | 1     | ("5343120").PN.  | USPAT                                       |
| 67 | IS&R | 1     | ("4048537").PN.  | USPAT                                       |
| 68 | BRS  | 54392 | transparen\$5 with (structures or grooves or prisms or refractors)                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS  | 8299  | S68 and lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 70 | BRS  | 569   | S68 and lamp and S53   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS  | 54    | S68 and (tube with lamp) and S53   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 72 | BRS  | 28   | ("3457447"   "4074124"   "4169675"  <br>"4367518"   "4521835"   "4545007"  <br>"4597034"   "4941072"   "5036436"  <br>"5103385"   "5241459"   "5276600"  <br>"5442533"   "5453849"   "5521797"  <br>"5523655"   "5561346"   "5565958"  <br>"5668913"   "5671994"   "5774278"  <br>"5863113"   "5892621"   "5934795"  <br>"5998921"   "6186649"   "6220722").PN. | US-PGPUB; USPAT; USOCR                         |
| 73 | BRS  | 1    | ("6550942").URPN.   | USPAT  |
| 74 | BRS  | 0    | hosoda-masutoshi.in.  | JPO; DERWENT                                   |
| 75 | IS&R | 0    | (wo03/032363A1).CCLS.   | JPO; DERWENT                                   |
| 76 | IS&R | 0    | (WO03/032363A1).CCLS.   | JPO; DERWENT                                   |
| 77 | BRS  | 212  | S54 and (convex with reflect\$4)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 78 | BRS  | 28   | S54 and (convex with reflect\$4) and<br>S53   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 79 | BRS  | 0    | S54 and (convex near reflect\$4) and<br>S53   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 80 | BRS  | 38   | S54 and (convex near reflect\$4)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 81 | BRS  | 2520 | reflect\$3 with (convex near surface)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 82 | BRS  | 19   | reflect\$3 with (convex near surface)<br>and S53 and S54  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 83 | BRS  | 0    | (convex near reflect\$4 near 3surface)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 84 | BRS  | 984  | (convex near reflect\$4 near3 surface)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 85 | BRS  | 0    | S84 and S54 and S53   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 86 | BRS  | 13   | S84 and S54   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 87 | BRS  | 0    | (convex near reflect\$4 near plate) and<br>S54  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 88 | BRS  | 6    | (convex near reflect\$4 near plate) and<br>lamp   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 89 | BRS  | 30   | (convex near reflect\$4 near plate)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 90 | BRS  | 482  | reflect\$5 with (convex near3<br>inciden\$5)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 91 | BRS  | 4    | S90 and S54   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |
| 92 | BRS  | 7    | convex with plate with over with lamp   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT; IBM_TDB |

|     | Type | Hits    | Search Text   | DBs   |
|-----|------|---------|---|---|
| 93  | BRS  | 1       | (convex near plate) with over with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 94  | BRS  | 6       | (convex near surface) with over with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 95  | BRS  | 6       | ("2702411"   "3331960"   "3511983").PN.   | US-PGPUB; USPAT; USOCR                      |
| 96  | BRS  | 5       | ("3825742").URPN.   | USPAT                                       |
| 97  | BRS  | 5791    | tube near lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 98  | BRS  | 23      | S97 and ((reflect\$5) with (structures or prisms or grooves)) and S53                               | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 99  | BRS  | 330     | S97 and ((reflect\$5) with (structures or prisms or grooves))                                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 100 | BRS  | 1122    | (fluorescent near tube) and (reflect\$5 with (structures or prisms))                                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 101 | BRS  | 67      | (fluorescent near tube) and (reflect\$5 with (structures or prisms)) and S53                        | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS  | 11      | 362/348.ccls. and (fluorescent near tube)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS  | 4       | 362/348.ccls. and 362/260.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS  | 9       | ("2356654"   "3701896"   "4422133"   "4459643"   "4779178"   "4858088"   "4876633"   "5658066").PN. | US-PGPUB; USPAT; USOCR                      |
| 105 | BRS  | 7       | ("6033092").URPN.   | USPAT                                       |
| 106 | BRS  | 30      | 362/346.ccls. and 362/260.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 107 | BRS  | 35      | 362/346.ccls. and (tube near (lamp or bulb))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 108 | BRS  | 9       | ("3213271"   "3628852"   "4164012"   "4207607"   "4229782"   "4242727"   "4261029"   "4338655").PN. | US-PGPUB; USPAT; USOCR                      |
| 109 | BRS  | 17      | ("4575788").URPN.   | USPAT                                       |
| 110 | BRS  | 4968    | 362/33,97,217,223,260,297,310,330,331,337,346,348.ccls.   | USPAT                                       |
| 111 | BRS  | 464     | S110 and S54  | USPAT                                       |
| 112 | BRS  | 72      | S111 and ((film or panel or transpa\$5) with (structures or prisms or grooves))                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 113 | BRS  | 1       | S111 and (reflect\$5 with (structures or prisms)) and S53   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 114 | BRS  | 2       | S111 and S90  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 115 | BRS  | 2897554 | (lamp or light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 116 | BRS  | 9036    | (film or lamina or transparency) with (refractors or prisms)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits  | Search Text   | DBs   |
|-----|------|-------|---|---|
| 117 | BRS  | 9102  | (film or lamina or transparency) with (refractors or prisms)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 118 | BRS  | 7767  | S115 and S117   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 119 | BRS  | 1493  | S118 and scann\$5   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 120 | BRS  | 16151 | (lamp or light) near tube                                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 121 | BRS  | 16151 | (lamp or light) near tube                                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 122 | BRS  | 5791  | tube near lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS  | 0     | (tube with veri\$6 with thick\$6) with lamp                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS  | 252   | tube with (thinner with cent\$6)                              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 125 | BRS  | 2273  | 313/493,634.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 126 | IS&R | 0     | ("tubeand(thin\$4withcenter)").PN.                            | USPAT                                       |
| 127 | BRS  | 6740  | tube and (thin\$4 with center)                                | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 128 | BRS  | 733   | tube and (thin\$4 with center) and lamp                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 129 | BRS  | 3091  | tube near bulb  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 130 | BRS  | 0     | (tube near bulb) with (thinner with center)                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 131 | BRS  | 764   | (tube or bulb) with (surface (prisms or structures))          | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 132 | BRS  | 921   | (tube with (surface with (prisms or structures))) and lamp    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS  | 313   | (tube with (surface with (prisms or structures))) same lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS  | 0     | ((tube near bulb) with (surface near (prisms or structures))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 135 | BRS  | 12927 | (tube with (surface with (prisms or structures)))             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 136 | BRS  | 921   | (tube with (surface with (prisms or structures))) and lamp    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 137 | BRS  | 313   | (tube with (surface with (prisms or structures))) same lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 138 | BRS  | 618   | (tube or (tube near bulb)) with (surface near structures)     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 139 | BRS  | 679   | lamp and (convex with reflector)                              | USPAT                                       |
| 140 | BRS  | 362   | lamp and ((reflect\$5 near surface) with prisms) and scan\$6  | USPAT                                       |

|     | Type | Hits  | Search Text  | DBs   |
|-----|------|-------|--|---|
| 141 | BRS  | 84507 | scanner or (scan\$6 near (apparatus or device))                                      | USPAT                                       |
| 142 | BRS  | 19012 | tube near (lamp or light or bulb)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 143 | BRS  | 600   | S167 and S168  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 144 | BRS  | 1     | S167 and S168 and (Tube with var\$7 with thick\$5)                                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 145 | BRS  | 0     | S167 and S168 and ((convex near3 reflect\$5) with (structures or prisms or grooves)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 146 | BRS  | 54392 | transparen\$5 with (structures or grooves or prisms or refractors)                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 147 | BRS  | 8299  | S182 and lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 148 | BRS  | 569   | S182 and lamp and S167   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 149 | BRS  | 0     | hosoda-masutoshi.in.   | JPO; DERWENT                                |
| 150 | IS&R | 0     | (wo03/032363A1).CCLS.  | JPO; DERWENT                                |
| 151 | IS&R | 0     | (WO03/032363A1).CCLS.  | JPO; DERWENT                                |
| 152 | BRS  | 212   | S168 and (convex with reflect\$4)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 153 | BRS  | 0     | S168 and (convex near reflect\$4) and S167   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 154 | BRS  | 2520  | reflect\$3 with (convex near surface)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 155 | BRS  | 0     | (convex near reflect\$4 near 3surface)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 156 | BRS  | 984   | (convex near reflect\$4 near3 surface)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 157 | BRS  | 0     | S198 and S168 and S167   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 158 | BRS  | 0     | (convex near reflect\$4 near plate) and S168   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 159 | BRS  | 482   | reflect\$5 with (convex near3 inciden\$5)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 160 | BRS  | 5791  | tube near lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 161 | BRS  | 1122  | (fluorescent near tube) and (reflect\$5 with (structures or prisms))                 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 162 | BRS  | 4968  | 362/33,97,217,223,260,297,310,330,331,337,346,348.ccls.                              | USPAT                                       |
| 163 | BRS  | 464   | S224 and S168  | USPAT                                       |
| 164 | BRS  | 1     | (tube near bulb) with (thin with center)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 165 | BRS  | 1     | ("4891664").PN.  | US-PGPUB; USPAT; USOCR                      |

|     | Type | Hits | Search Text   | DBs   |
|-----|------|------|---|---|
| 166 | BRS  | 1    | ("4891664").PN.   | US-PGPUB; USPAT; USOCR                      |
| 167 | BRS  | 1    | ("5469303").URPN.   | USPAT                                       |
| 168 | IS&R | 1    | ("5343120").PN.   | USPAT                                       |
| 169 | IS&R | 1    | ("4048537").PN.   | USPAT                                       |
| 170 | BRS  | 1    | ("6550942").URPN.   | USPAT                                       |
| 171 | BRS  | 1    | (convex near plate) with over with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 172 | BRS  | 1    | S225 and (reflect\$5 with (structures or prisms)) and S167                              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 173 | BRS  | 6    | (lamp or light) with (tube with (variable near thickness))                              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 174 | BRS  | 67   | S126 and (lamp or bulb or light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 175 | BRS  | 10   | ("2896107"   "3363134"   "3498714"   "3832590"   "3885181"   "3932782"   "4065691").PN. | US-PGPUB; USPAT; USOCR                      |
| 176 | BRS  | 14   | ("4503356").URPN.   | USPAT                                       |
| 177 | BRS  | 53   | "313"/\$.ccls. and ((var\$7 near thick\$6) with (tube or envelop\$4))                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 178 | BRS  | 38   | 313/493,634.ccls. and (var\$7 near thic\$5)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 179 | BRS  | 24   | 313/493,634.ccls. and (thin\$4 with (middle or center))                                 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 180 | BRS  | 6    | 313/493,634.ccls. and (tube with (thin\$4 with (middle or center)))                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 181 | IS&R | 3    | ((("4661800") or ("5223814") or ("5402103"))).PN.                                       | USPAT                                       |
| 182 | BRS  | 63   | tube with (thin\$4 with center) and lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 183 | BRS  | 64   | lamp and ((tube or bulb) with (thin with center))                                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 184 | BRS  | 88   | (tube or bulb) with (surface (prisms or structures)) and lamp                           | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 185 | BRS  | 11   | (tube with (surface with (refractors))) and lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 186 | BRS  | 4    | (tube with (surface with (refractors))) same lamp                                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 187 | BRS  | 7    | ((tube near bulb) with (surface with (prisms or structures)))                           | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 188 | BRS  | 28   | (tube near lamp) with (surface with (prisms or structures))                             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 189 | BRS  | 43   | (tube or (tube near bulb)) with (surface near structures) and lamp.                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 190 | BRS  | 33   | (tube or (tube near bulb)) with (surface near (prisms or grooves )) and lamp            | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |



|     | Type | Hits | Search Text   | DBs   |
|-----|------|------|---|---|
| 191 | BRS  | 4    | ("4363862"   "5319427"   "5420679"   "5471288").PN.   | US-PGPUB; USPAT; USOCR                      |
| 192 | BRS  | 5    | ("5753348").URPN.   | USPAT                                       |
| 193 | BRS  | 41   | lamp same ((reflect\$5 near surface) with prisms) and scan\$6   | USPAT                                       |
| 194 | BRS  | 2    | S167 and S168 and (convex near3 reflect\$5)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 195 | BRS  | 83   | S167 and S168 and ((film or panel or transpa\$5) with (structures or prisms or grooves))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 196 | BRS  | 84   | S167 and S168 and ((reflect\$5) with (structures or prisms or grooves))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 197 | BRS  | 3    | ("3377482"   "5469303").PN.   | US-PGPUB; USPAT; USOCR                      |
| 198 | BRS  | 5    | "5343120"   | US-PGPUB; USPAT; USOCR                      |
| 199 | BRS  | 54   | S182 and (tube with lamp) and S167  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 200 | BRS  | 28   | ("3457447"   "4074124"   "4169675"   "4367518"   "4521835"   "4545007"   "4597034"   "4941072"   "5036436"   "5103385"   "5241459"   "5276600"   "5442533"   "5453849"   "5521797"   "5523655"   "5561346"   "5565958"   "5668913"   "5671994"   "5774278"   "5863113"   "5892621"   "5934795"   "5998921"   "6186649"   "6220722").PN. | US-PGPUB; USPAT; USOCR                      |
| 201 | BRS  | 28   | S168 and (convex with reflect\$4) and S167  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 202 | BRS  | 38   | S168 and (convex near reflect\$4)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 203 | BRS  | 19   | reflect\$3 with (convex near surface) and S167 and S168   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 204 | BRS  | 13   | S198 and S168   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 205 | BRS  | 6    | (convex near reflect\$4 near plate) and lamp  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 206 | BRS  | 30   | (convex near reflect\$4 near plate)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 207 | BRS  | 4    | S204 and S168   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 208 | BRS  | 7    | convex with plate with over with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 209 | BRS  | 6    | (convex near surface) with over with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits | Search Text   | DBs   |
|-----|------|------|---|---|
| 210 | BRS  | 6    | ("2702411"   "3331960"   "3511983").PN.   | US-PGPUB; USPAT; USOCR                      |
| 211 | BRS  | 5    | ("3825742").URPN.   | USPAT                                       |
| 212 | BRS  | 23   | S211 and ((reflect\$5) with (structures or prisms or grooves)) and S167                             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 213 | BRS  | 67   | (fluorescent near tube) and (reflect\$5 with (structures or prisms)) and S167                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 214 | BRS  | 11   | 362/348.ccls. and (fluorescent near tube)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 215 | BRS  | 4    | 362/348.ccls. and 362/260.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 216 | BRS  | 9    | ("2356654"   "3701896"   "4422133"   "4459643"   "4779178"   "4858088"   "4876633"   "5658066").PN. | US-PGPUB; USPAT; USOCR                      |
| 217 | BRS  | 7    | ("6033092").URPN.   | USPAT                                       |
| 218 | BRS  | 30   | 362/346.ccls. and 362/260.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 219 | BRS  | 35   | 362/346.ccls. and (tube near (lamp or bulb))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 220 | BRS  | 9    | ("3213271"   "3628852"   "4164012"   "4207607"   "4229782"   "4242727"   "4261029"   "4338655").PN. | US-PGPUB; USPAT; USOCR                      |
| 221 | BRS  | 17   | ("4575788").URPN.   | USPAT                                       |
| 222 | BRS  | 72   | S225 and ((film or panel or transpa\$5) with (structures or prisms or grooves))                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 223 | BRS  | 2    | S225 and S204   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 224 | BRS  | 161  | S122 and (vari\$6 near thick\$6)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 225 | BRS  | 104  | lamp and (convex with reflector) and scan\$6  | USPAT                                       |
| 226 | BRS  | 250  | (tube with (surface with (prisms or structures))) with lamp   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 227 | BRS  | 204  | lamp and (reflector with prisms) and scan\$6  | USPAT                                       |
| 228 | BRS  | 330  | S211 and ((reflect\$5) with (structures or prisms or grooves))                                      | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |